



# **pasta**show



# pasta

# show

# & corner



PSFR18



PADC/FR12



PSDC/FR20 combi



PSDC/FR16





# **pasta**cooker



**45/60"**

PADC90



PCDC16/PCFR16


















PKAL45




















PKAL90



## Pasta show

										
PSFR18 portions/h	15 Lt. 2x1 pax 60-80	 0"/30'	optional 2x3 pax 80-100	0+4°C 4GN 1/6 60	ind. 2x3,5Kw -	80 Lt. -18/-20°C 80	BM90°C 2GN 1/1 -	- - -	100 Lt. +2+8°C -	optional kit castors 3+3 brakes
PSFR16 portions/h	2x15 Lt. 4x1 pax 100-140	 0"/30'	optional 4x3 pax 120-160	0+4°C 4GN 1/6 60	ind. 2x3,5Kw -	- - -	- - -	80 Lt. -18-20°C -	- - -	optional kit castors 3+3 brakes
PSDC16 portions/h	2x15 Lt. 4x1 pax 100-140	 0"/30'	optional 4x3 pax 120-160	0+4°C 4GN 1/6 60	ind. 2x3,5Kw -	- - -	- - -	80 Lt. +2+8°C -	- - -	optional kit castors 3+3 brakes
PSFR20 co. portions/h	15 Lt. 2x1 pax 50-70	 0"/30'	optional 2x3 pax 70-90	0+4°C 4GN 1/6 60	ind. 2x3,5Kw -	- - -	BM90°C 2GN -	80 Lt. -18-20°C -	- - -	optional kit castors 3+3 brakes
PSDC20 co. portions/h	15 Lt. 2x1 pax 60-80	 0"/30'	optional 2x3 pax 70-90	0+4°C 4GN 1/6 60	ind. 2x3,5Kw -	- - -	BM90°C 2GN 1/1 -	80 Lt. +2+8°C -	- - -	optional kit castors 3+3 brakes

## Pasta corner & pasta cooker

										
PAFR12 portions/h	15 Lt. 2x1 pax 60-80	 0"/30'	optional 2x3 pax 80-100	0+4°C 4GN 1/6 60	ind. 2x3,5Kw -	- -	80 Lt. -18-20°C	- -	optional kit castors 2+2 brakes	not included
PADC12 portions/h	2x15 Lt. 2x1 pax 50-70	 0"/30'	optional 2x3 pax 80-100	0+4°C 4GN 1/6 60	ind. 2x3,5Kw -	- -	80 Lt. +2+8°C	- -	optional 2+2 brakes	
PCFR16 co. portions/h	2x15 Lt. 2x1 pax 60-80	 0"/30'	optional 4x3 pax 120-160	0+4°C 4GN 1/6 60	infrared 1x3,5Kw 0/240°C	BM90°C 2GN 1/1 -	80 Lt. -18-20°C	- -	optional 3+3 brakes	
PCDC16 co. portions/h	15 Lt. 2x1 pax 50-70	 0"/30'	optional 2x3 pax 70-90	0+90°C 2GN 1/6 30	infrared 1x3,5Kw 0/240°C	BM90°C 2GN 1/1 -	80 Lt. +2+8°C	- -	optional 3+3 brakes	
PADC90 portions/h	15 Lt. 2x1 pax 50-70	 0"/30'	optional 2x3 pax 70-90	0+90°C 2GN 1/6 30	infrared 1x3,5Kw 0/240°C	- -	- -	insulated 2xGN 1/1	optional 2+2 brakes	
PKAL45 portions/h	15 Lt. 2x1 pax 50-100	 0"/30'	optional 2x3 pax 50-150						optional 2+2 brakes	
PKAL90 portions/h	2x15 Lt. 4x1 pax 100-80	 0"/30'	optional 4x3 pax 140-120						optional 2+2 brakes	

